




Fundamentals of Modernization: Analyze, Structure and Transform
iTour Poland
November 13, 2017
Wisla, Poland

Modernization





The Application Modernization Redbook



An innovative approach, combining general best practices of modernization along with the solutions, tools, and ISVs that can help make it happen

Redbook Residency

Write detailed chapters describing best practices for all aspects of Application Modernization

- Database
- Modern RPG
- Web Services
- Communication between applications
- Graphical User Interfaces
- Development tools
- Development best practices
- Flexible applications
- Languages Mobile
- · Many other possible topics



Solution Guides

ISV, Partners, and Solution providers write a technical solution guide describing how they can help accomplish application modernization

Publish 2Q 2014


Modernization Roadmap



Automating IBM i Modernization, in 3 Steps...



Analyze your Existing System




Structure your Development



Transform your Application

Step 1: Analyze





Discover dependency map

Retrieve business rules

Reveal data architecture

Generate technical documentation

Identify complexity hotspots

IBM Announcement







Time to start understanding your code

April 2017 Announce...


ARCAD Observer is now included in EES ARCAD Observer for i - 5733-AO1



Plugs into RDi


https://www-01.ibm.com/common/ssi/cgi-bin/ssialias?infotype=AN&subtype=CA&htmlfid=897/ENUS217-151&appname=lenovous&language=en

Analysis and Documentation




Analysis and Documentation





Step 2: Structure





Version Control

Agile Delivery

DevOps


Continuous Test

Step 2: Structure



Rational Developer for i (RDi)

Modern, Eclipse-based, development tools for IBM i



RPG and Git



Git –Version Control


- Support RPG source stored in IFS
- Provides an alternative to other source control
- Would allow the same source control for both open source and RPG





Step 2: Structure





traditional methods

Step 2: Structure



Proven &
Secured
Development
Process



RDi +
Rational
Team
Concert





Test Automation

DevOps for i



DevOps for i


- IBM i Analysis Cross-Platform
- IBM i Dependency Build
- IBM i Deployment
- IBM i Rollback

ARCAD-Deliver - - Rational Team Concert

四十回 明 四 日


ARCAD-Deliver Explorer

Eile Edit Navigate Search Project Run Window Help



Project and personal dashboards










User Interface

Source Code

Relational database


Application architecture (SOA, ILE, Webservices)



User Interface



Transformation





Database: Why SQL?

- Strategic database interface for industry
- Portability of code and skills
- Strategic interface for IBM i
- Faster delivery on IT requirements
- Performance & Scalability
- Increased Data Integrity
- Want More Details... Image **NEW White Paper on Benefits of Modernizing with SQL**

ibm.com/partnerworld/wps/servlet/ContentHandler/whitepaper/ibmi/db2/sql



More Resources



Draft Document for Review July 31, 2013 9:11 am

Modernization of IBM i Applications from the Database Up to the User Interface http://www.redbooks.ibm.com/abstr

http://www.redbooks.ibm.com/abstr acts/sg248185.html?Open




SG24-8185-00



Modern RPG - Constant Transformation



```
F4=Prompt F5=Refresh F9=Retrieve F10=Cursor F11=Toggle
st find F17=Repeat change (C) COPYRIGHT IBM CORP. 1981, 2005.
```









Remove 8-80 Column Restriction



Today column 1-8 are reserved (goes back to the punch card days)

Max Column for content is 80 (again....punch card)

- If column 1 of a source line contains '**FREE', the following lines contain free-form RPG code beginning in column 1 and continuing to the end of the line
- If **FREE has not appeared in the source file, or if column 1 of a source line contains **END-FREE, the following lines have RPG code in columns 6 80. If columns 6 and 7 are blank, the code is free-form.

IBM Announcement








How Do I Convert to Modern RPG ??

April 2017 Announce...

ARCAD Converted for i - 5733-AC1



- Plugs into RDi
- Green Screen interface for MASS conversion
 - Convert your entire source file at once

 $\label{limits} $$ $$ https://www-01.ibm.com/common/ssi/cgi-bin/ssialias?infotype=AN\&subtype=CA\&htmlfid=897/ENUS217-151\&appname=lenovous\&language=en$

© 2016, 2017 IBM Corporation

Convert RPG: Before and After



```
ARM090R6.RPGLE 23
                                                                                                 ARM090R6.RPGLE SS
  Line 1150
                                                                                                   Line 1298
                                                                                                                             Replace
          ....CL0N01Factor1+++++++0pcode(E)+Factor2++++++Result+++++++Len++D+HiLoEq....Com
                                                                                                           ---- 55 lines excluded. -----
                                                                                                           ---- 56 lines excluded. -----
   005600
                                                                                                    005600
                                                                                                                  Dcl . Ds *n;
   005700
                 CDI
                                               89
                                                                                                    005700
                                                                                                                    CDI
                                                                                                                                    Char(88)
                                                                                                                                                    Pos(1);
                 MSAPP
                                               17
                                                                                                                    MSAPP
   005800
                                                                                                    005800
                                                                                                                                    Char(3)
                                                                                                                                                    Pos(15);
   885988
                 ZSTST
                                                                                                    005900
                                                                                                                    ZSTST
                                                                                                                                    Char(1)
                                                                                                                                                    Pos(26);
                                               26
               D ZSVERS
   995999
                                                                                                    886888
                                                                                                                    7SVERS
                                                                                                                                    Char(8)
                                                                                                                                                    Pos(38);
          ---- 72 lines excluded.
                                                                                                    005001
                                                                                                                  End-Ds:
   013300
                     "FNTRY
                                   PLIST
                                                                                                          ----- 123 lines excluded. -----
   013400
                                                           P083
                                                                                                    012656
                                                                                                                  // Prototype for ARM898R6
                                                           MERTYP
                                                                                                                  Dcl-Pr Pgm_ARM090R6 ExtPgm('ARM090R6');
   013500
                                                                                                    812657
   013600
                                                                                                    012658
                                                                                                                                    Char(10):
   013700
                                                           DssArchVer
                                                                                                    012659
                                                                                                                    MERTYP
                                                                                                                                    Char(18):
   013800
                                                           IFSOB3
                                                                                                    012660
                                                                                                                    PAPP
                                                                                                                                    Char(3):
          ----- 151 lines excluded. -----
                                                                                                                    DspArchVer
                                                                                                                                    Char(4);
                                                                                                    012661
   029000
               C* KEY FIELDS
                                                                                                    012662
                                                                                                                    IFS083
                                                                                                                                    Char(755);
               C 03
                                                                                                    012663
                                                                                                                  End-Pr:
   029200
               C* SYSTEM Command
                                                                                                                  // Procedure interface for ARM090R6
   029300
                     *IN21
                                             *ON
                                                                                                           ----- 182 lines excluded. -----
                                             "ARCMD"
   029400
                                   CALL
                                                                                                    829888
                                                                                                                  // KEY FIELDS
   029500
                                   PARM
                                             ...
                                                           TYPCHO
                                                                                                    029001
                                                                                                                   If "In03:
   029600
                                             DISPLAY
                                                                                                    029101
                                                                                                                      ATag = 'END1';
   029700
                                   ENDIF
                                                                                                    029102
                                                                                                                    Endif;
          ---- 798 lines excluded.
                                                                                                                    If ATag = "blanks;
                                                                                                    029103
                     ZSTST
                                                                                                                  // SYSTEM Command
   109600
                                                                                                    829288
                                             "ARSNDMSG
                                                                                                                      If "IN21 - "ON;
   189788
                                   CALL
                                                                                                    829388
                                   PARM
                                                                                                                        TYPCHD - '2':
   109800
                                                           PGMQ.
                                                                                                    029401
   189988
                                             'MSG1238'
                                                           MSGID
                                                                                                    029402
                                                                                                                        Pgm ARCHD(TYPCHD):
                                                                                                                        ATag - 'DISPLAY';
   110000
                                                                                                    029601
                                                                                                                        Iter;
   110100
                                   ELSE
                                                                                                    029602
   110200
                                   MOVEA
                                             *BLANK
                                                           CMD
                                                                                                                      EndIf:
   110300
                                   MOVEL
                                             CD(2)
                                                           CMULIN
                                                                                                           ---- 892 lines excluded. -----
   110400
                                   MOVEA
                                             CMDLIN
                                                           CMD(1)
                                                                                                    109600
                                                                                                                   If ZSTST = '*':
   110500
                                   MOVEA
                                             ZObj
                                                           CMD(18)
                                                                                                    109701
                                                                                                                      MSGID = 'MSG1238';
                  lines excluded
                                                                                                    109702
                                                                                                                      Pgm ARSNDMSG 001(PGMQ : MSGID : RIEN);
                                   CAT(P)
                                             ./.:0
   114300
                     ZSRLIB
                                                           RESULT
                                                                                                    110100
                                                                                                                    Else;
                                                                            21
   114400
                     RESUL1
                                   CAT(P)
                                             REF:0
                                                           RESULT
                                                                                                    110200
                                                                                                                      CMD = "BLANK;
   114500
                                   MOVEA
                                             RESULT
                                                           CMD(58)
                                                                                                    110300
                                                                                                                      CMOLIN = CD(2):
                                             ...
   114600
                                   MOVEA
                                                           CMD(79)
                                                                                                    118488
                                                                                                                      pAToArrStr = %Addr(CMD(1));
   114788
                                   EXSR
                                             OCMDEX
                                                                                                    118481
                                                                                                                      %Subst(AToArrStr:1:88) - CMDLIN:
                                                                                                    110500
   114888
                                   CALL
                                             "ARMVPGMO"
                                                                                                                      pAToArrStr - %Addr(CMD(18));
                                   ENDIF
   114988
                                                                                                    118581
                                                                                                                      %Subst(AToArrStr:1:10) - ZObj;
   115000
              C FI14
                                   ENDSR
                                                                                                           ----- 46 lines excluded. -----
          ---- 147 lines excluded. -----
                                                                                                                      RESUL1 = %Trier(ZSRLIB) + '/';
                                                                                                    114300
                                                                                                    114400
                                                                                                                      RESULT = %Trimr(RESUL1) + REF;
                                                                                                    114500
                                                                                                                      pAToArrStr = %Addr(CMD(58));
                                                                                                                      %Subst(AToArrStr:1:21) = RESULT;
                                                                                                    114501
                                                                                                                      CMD(79) = ")";
                                                                                                    114600
                                                                                                                      EXST OCMDEX:
                                                                                                    114700
                                                                                                    114791
                                                                                                                      If "InSO:
                                                                                                    114801
                                                                                                                        Pgm_aRMVPGMQ();
                                                                                                    114802
```









"And any mass change brings an element of risk."





"Relying on manual methods will simply be too time consuming."

- Jim Mitchell - United Heritage Financial Group

Optimization Benefits-Evolution not Revolution



- A better interface
- A better database
- Easier to maintain applications
- More flexible and extensible applications
- Reduce costs






Technology




- New business requirements are easier to implement
- Integrated applications. It is easier to integrate with other applications, platforms, and interfaces
- It is easier to find developers who can maintain modern code
- Gives you a competitive edge
- Allows you to leverage existing environments and code

Optimization Workflow



Modernization Evolves to DevOps






Modernization-DevOps






Digital Disruption enables smaller competitors to be successful with disruptive business models





What does the Line of Business want from IT?






Agility - Velocity - Innovation

DevOps: Apply Lean and Agile





Continuously Improve:

- I. Application Delivered
- II. Environment Deployed
- III. Application and Environment Delivery Process

Utopia: Unicorn fun facts



The unicorns (born on the web companies) set the bar for DevOps.

Some examples:



11.6 seconds mean time between weekday deployments, 1079 max deployments in an hour¹



15000 engineers working on 4000+ projects, 5500 code commits/day, 75M testcases run daily



>100 releases/day

Utopia: Enterprise Unicorn Fun Facts



Yes!!! And, many large companies are leading the way. Some examples:



TARGET 80 deploys/week, <10 incidents/month¹



80% reduction in critical defects, 70% increase in system availability, 90% on-time delivery vs. 60% previously²



reduced dev cost from 100M to 55M/year, 140% increase in number of products under development³



resale up 30% first half of 2014, 24% YoY increase in customer service rating⁴


http://www.slideshare.net/DevOpsEnterpriseSummit/does14-ross-clanton-and-heather-mickman-devops-at-target-41869677

http://www.slideshare.net/DevOpsEnterpriseSummit/tuesday-400-hayden-lindsey-and-carmen-de-ardo-final

http://www.slideshare.net/DevOpsEnterpriseSummit/does14-aarv-aruver-macvs-transformina-traditional-enterprise-software-development-processes

http://www.slideshare.net/DevOpsEnterpriseSummit/tuesday-330-shakeel-sorathia-final?aid=d758c122-8df0-4e03-b2da-4ba4c7271897&v=af1&b=&from_search=11

DevOps Unicorn



A Bank ... to deliver easy, secure mobile banking to clients



Systems of Record On-Prem

Legacy Core Banking

Benefits to the Bank

- Optimize client experience
- Rapid development
- Rapid deployment
- Mobile analytics
- Secure the bank



Systems of Engagement On-Prem or Cloud


Mobile Banking / Mobile Analytics

Benefits for the Consumer

- Easy access
- Convenience
- Mobile banking
- Mobile payments
- Secure transactions

IBM i Two Speed IT strategy






Adopting Multi-Speed IT World – Transformation








Industrialized Core

Traditional Development DevOps, Legacy -> Hybrid-ready
Traditional Middleware -> APIs
Free form RPG, DDL



DevOps 101


- DevOps is not one of these things...
 It's all of them!
- ...across the entire lifecycle... for all technologies and platforms



Creating a 'Lean' Delivery Pipeline




- Reduce Batch size
- Integrated Delivery Pipeline 4 per min
- Agile Product Management
- 'Continuous Funding'
- Right Architecture
- Continuous Improvement




Delivering a Business Capability – Hybrid Applications, Hybrid Platforms, Hybrid Teams





Application Deployment to Multi-Platform Environments



Full Stack Deployment



Composite Applications



The «What»

Re-usable Workflows



The «How»



Environment Management





Copyright 1992-2017 - www.arcadsoftware.com


Building a DevOps Culture grounded in lean and agile principles:



- It's all about
- the people
 - people

Not available on the App Store

- Everyone is responsible for Delivery
- Common measures of Success
- Empower your teams
- Don't under-estimate the value of training and skills enablement!



Building a DevOps Culture

gread

- Center of Excellence-DevOps
- Everyone-Team is responsible for Delivery, including external Stakeholders
- Common Measures of Success
- Tools Automate Pipeline
- Processes-Compliance
 It's about the people!





DevOps for IBM i – Key Takeaways

- 1.DevOps is about transforming application development and delivery in order to accelerate digital innovation.

 So DevOps is a topic for both business and IT roles in the organization.
- **2.You don't buy DevOps, you do DevOps.** DevOps is an approach, a mindset a combination of culture, process and technology (including infrastructure, tools and services).
- 3. DevOps is not only about the hand-off between Development and Operations. DevOps is about applying lean and agile principles across the application delivery lifecycle (biz-dev-test-deploy-operate) to achieve continuous delivery of digital innovation. Key concepts: automation, feedback loops.

DevOps





KEEP CALM AND DELIVER CONTINUOUSLY

© 2014 KeepCalmStudio.com





Contact: fdelmuro@arcadsoftware.com

www.arcadsoftware.com

www.github.com



